





Architectural Hardware



Product
Catalogue



About Us

CORE is a Well Established Brand Since 2002, stands for the most trustworthy brand in providing the Architectural Glass Solutions across World. Core has a specialization in the **Glass Architectural Hardware, Glass Railing Systems, Aluminium Partition Profiles and Kitchen Profiles**. Core Product Range is an Expert's choice for your **Offices, Malls, Showrooms, Hospitals, Studios** and even for your Home. We have large warehousing facility to acquire and store our products. We also offer more comfortable and safety options with our logistic services and with competent expert advisers to complete your dream projects. We deal with **PVD, Anodized, Powder Coated and Electroplating** for long lasting authenticity of products. In order to meet the Growing Demand from both individual and institutional clients, we have a system that allow us to keep side by side changing dynamics in **Interior Designing, Constructions and Demographics** at standard level, So by this we are able to have loyal customer base across the market. We have Ethical Business Policy, Competitive Price which helps us in making a Huge Clientele.

Our Strengths:


- 20 Years of Extensive Experience in this Industry.
- Dedicated Technical Team with the experience of over 20 years.
- Modular and Advanced Fittings.
- Dedicated Sales and Customer Support Team.
- Excellent in Introducing Exclusive Products range constantly.
- Design Clients needs.
- Unlock client ideas into perfect figures.
- Transforms Client's Visualization to Reality.

Extremely Strict Quality Standards:

CORE provides an exclusive grade of metal according to the National and International Market Standards. Our all components passed through the Strict Quality parameters ensuring safety and functionality of every product. We assure to maintain the quality at reliable rates that meets the budget set by our valued clients.

Business Opportunities With Us:

- ✓ With our valuable experience of 20 years in this Industry. We offer Hardware Dealing Companies to join hands for desirable business outcome through **Dealership**.
- ✓ We provide **Distributorship** Opportunities with Low Investments and Merchandising.
- ✓ We encourage startups to showcase our **Products in Display** for better understanding of their customers needs.
- ✓ Core welcomes the network of expert of installer to become **Authorised Installer** to start, Switch their business growth.
- ✓ We believe in **Collaboration, Ideation, Implementation and Value Creation**.



AUTOMATIC SLIDING SENSOR DOOR




CASSD-01

Automatic Sliding Sensor Door

4.2mtr
5.2mtr
6.2mtr

Installation :



Specification

Door Parameter

Single Leaf Maximum Opening	1200mm x 2400mm
Bi-parting Door Maximum Opening	2200mm x 2400mm
Maximum Door Weight Single Leaf	75kg to 90kg (Single Door)
Maximum Door Weight Double Leaf	75kg x 2 Door (Bi-parting)

Features and Advantages

1. Wide range of power-supply operation.
2. Intelligent control system.
3. Drive equipment with low noise
4. Advanced brushless motor and worm wheel reducer are integrated.
5. Special self-locking function without any addition components.
6. Double door interlock function
7. Optional backup power supply to ensure the normal operation.
8. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
9. To connect with safety and Security system.
10. Easy installation & Easy Maintenance.
11. Track size: 4200mm/5200mm/6200mm.

AUTOMATIC SWING DOOR WITH FLOOR SPRING



CASD-01

Automatic Single Swing Door

CASD-02

Automatic Double Swing Door



Specification

Door Parameter

Single Leaf Maximum Opening	1200mm x 2400mm
Maximum Door Weight Single Leaf	100kg to 130kg (Single Door)


Features and Advantages

1. Intelligent control system.
2. Drive equipment with low noise
3. Advanced brushless motor and worm wheel reducer are integrated.
4. Special self-locking function without any addition components.
5. Double door interlock function
6. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
7. To connect with safety and Security system.
8. Easy installation & Easy Maintenance.

1+2 AUTOMATIC TELESCOPIC SLIDING DOOR



CASTS-02(1+2)



Features and Advantages

- > Automatic Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Simultaneous Sliding of Two Panels in the same direction.
- > Activated via motion sensor or switch button.
- > Soft Close Sliding.
- > It turns a Normal Sliding into the unique one.
- > Reliable, Efficient and Safe in Sliding.
- > Suitable for External and Internal areas.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463

1+3 AUTOMATIC TELESCOPIC SLIDING DOOR



CASTS-03(1+3)



Features and Advantages

- > Automatic Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Simultaneous Sliding of Three Panels in the same direction.
- > Activated via motion sensor or switch button.
- > Soft Close Sliding.
- > It turns a Normal Sliding into the unique one.
- > Reliable, Efficient and Safe in Sliding.
- > Suitable for External and Internal areas.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463

2+2 AUTOMATIC SYNCHRO SLIDING DOOR



CASS-01(2+2)



Features and Advantages

- > Automatic Telescopic Sliding System (2+2) are suitable for center opening in Extensive Areas.
- > It is Useful to Slide Two Panels simultaneously in opposite direction.
- > Activated via motion sensor or switch button.
- > Soft Close Sliding.
- > It turns a Normal Sliding into the unique one.
- > Reliable, Efficient and Safe in Sliding.
- > Suitable for External and Internal areas.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463

1+1 TELESCOPIC SLIDING DOOR




CSTS-01(1+1)



Features and Advantages

- > Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Sliding of one Panels in the same direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



1+2 TELESCOPIC SLIDING DOOR



CSTS-02(1+2)



Features and Advantages

- > Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Sliding of Two Panels in the same direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



CHS-01 (RG)
Top / Bottom Profile



CSTS-UT-01 (RG)
Upper Track



CSTS-UTC-01 (RG)
Upper Track Cover



CDS-JB-02 (RG)
Pasting Profile



CSP-SHL-01 (RG)
Handle With Lock



CDS-JB-01 (RG)
Divider Profile



CVS-01 (RG)
Side Profile



CSP-SH-02 (RG)
Sliding Handle




CAPL-90°-01 (SS)
L Jointer

1+3 TELESCOPIC SLIDING DOOR



CSTS-03(1+3)



Features and Advantages

- > Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Sliding of Three Panels in the same direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



CHS-01 (BM)
Top / Bottom Profile



CSTS-UT-01 (BM)
Upper Track



CSTS-UTC-01 (BM)
Upper Track Cover




CDS-JB-02 (BM)
Pasting Profile



CSP-SHL-01 (BM)
Handle With Lock



CDS-JB-01 (BM)
Divider Profile



CVS-01 (BM)
Side Profile




CSP-SH-02 (BM)
Sliding Handle





CAPL-90°-01 (SS)
L Jointer

1+4 TELESCOPIC SLIDING DOOR



CSTS-04(1+4)



Features and Advantages

- > Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Sliding of Four Panels in the same direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



CHS-01 (BM)
Top / Bottom Profile



CSTS-UT-01 (BM)
Upper Track



CSTS-UTC-01 (BM)
Upper Track Cover



CDS-JB-02 (BM)
Pasting Profile



CSP-SHL-01 (BM)
Handle With Lock



CDS-JB-01 (BM)
Divider Profile



CVS-01 (BM)
Side Profile



CSP-SH-02 (BM)
Sliding Handle




CAPL-90°-01 (SS)
L Jointer

2+2 SYNCHRO SLIDING DOOR



CSSS-01(2+2)



Features and Advantages

- > Telescopic Sliding System are suitable for center opening in Extensive Areas.
- > It is Useful for Sliding of One Panels each in the opposite direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



CHS-01 (G)
Top / Bottom Profile



CSTS-UT-01 (G)
Upper Track



CSTS-UTC-01 (G)
Upper Track Cover



CDS-JB-02 (G)
Pasting Profile



CSP-SHL-01 (G)
Handle With Lock



CDS-JB-01 (G)
Divider Profile



CVS-01 (G)
Side Profile




CSP-SH-02 (G)
Sliding Handle



CAPL-90°-01 (SS)
L Jointer


2+4 SYNCHRO SLIDING DOOR

CSTS-02(2+4)




Features and Advantages

- > Telescopic Sliding System are suitable for center opening in Extensive Areas.
- > It is Useful for Sliding of Two Panels each in the opposite direction.
- > Soft Close Sliding.
- > Standard size of each Panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg



1+2 FRAMELESS TELESCOPIC SLIDING DOOR




Features and Advantages

- > Frameless Telescopic Sliding System are suitable for one way Opening in Extensive Areas.
- > It is Useful for Simultaneous sliding of Two Panels in the same direction.
- > It turns a normal sliding into the unique One.
- > Standard size of each Panel: 1000mm x 3000mm
- > Suitable for Glass Thickness 8mm and 10mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463
- > Standard Colour: Black Matt
Gold, Rosegold
Champagne

CSTS-FL-02(1+2)



1+3 FRAMELESS TELESCOPIC SLIDING DOOR




Features and Advantages

- > Frameless Telescopic Sliding System are suitable for one way Opening in Extensive Areas.
- > It is Useful for Simultaneous sliding of Three Panels in the same direction.
- > It turns a normal sliding into the unique One.
- > Standard size of each Panel: 1000mm x 3000mm
- > Suitable for Glass Thickness 8mm and 10mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463
- > Standard Colour: Black Matt,
Gold, Rosegold,
Champagne

CSTS-FL-03(1+3)



2+2 FRAMELESS SYNCHRO SLIDING



Features and Advantages

- > Frameless Telescopic Sliding System are suitable for center Opening in Extensive Areas.
- > It is Useful for Simultaneous sliding of Two Panels in the opposite direction.
- > It turns a normal sliding into the unique One.
- > Standard size of each Panel: 1000mm x 3000mm
- > Suitable for Glass Thickness 8mm and 10mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304
Aluminium Profiles – 6463
- > Standard Colour: Black Matt, Gold, Rosegold,
Champagne

CSSS-FL-01(2+2)




SLIDE AND SWING CESS-01


Per Panel



Window Shapes




Panel Range




Technical Specifications:

- > Glass Thickness : 8,10,12 mm
- > Maximum Height : 2700 mm
- > Panel Width Range : 750 mm
- > Panel : Customised
- > Fix Section : 55 x 55 mm (Top & Bottom Rail)
- > Sliding Section : 60 x 32 mm (Sliding Glass)



Easy Displacement of the Elements



Large Opening Space

MOTORISED SLIDING GATE CAMSG-01



Electric Lock for Picket Gate



Electric lock for Swing gate



Smart Wi-Fi



Bluetooth Receiver



Passcode Controller



Universal Remote



Photocell



Reflecting Photocell



Radio Frequency Remote



Wall Switch

Applications



Technical Specifications:

- > Maximum Weight : 600Kg
- > 230 V AC Motor
- > Soft Start & Slow Stop Function
- > Over Heat & Overload Dual Protection
- > Motor Speed: 1440RPM



EZY Open




Touch Switch



Warning Light



GSM Receiver



Wire Less Car Switch

CENTER SLIDING FOLDING SYSTEM

CASSD-01
4 Door Complete Set
SS

CASSD-01
4 Door Complete Set
COLOR



CCSFL-A2
Folding Door Roller



CCSFL-H1
Wall to Glass Hinge



CCSFL-H2
Glass to Glass Hinge




CCSFL-LK
Sliding Glass Door Lock



CCSFL-B1
Upper Track



CSL-HN-50
Sliding Handle



Features

- > Maximum Weight per Door : 60kg
- > Maximum Width per Door : 900mm
- > Maximum Height per Door : 2400mm
- > Suitable for : 8mm, 10mm Glass Thickness
- > Material Used : Hardware SS 304 Aluminium Profiles – 6463

SLIDING FOLDING SYSTEM

CSFL-444
4 Door Complete Set
SS
COLOR

CSFL-444
Center Opening (2+2)
SS
COLOR



CSFL-A6
Glass Door Hinge



CSFL-A9
Wall to Glass Hinge



CSFL-A10
Folding Door Roller



CSFL-A11
Folding Door Roller



CSFL-A12
Lower Column Clip



CSFL-A13L/R
Glass Door Bolt



CSFL-A18R/L
Glass Door Bolt



CSFL-C1
Upper Track (4Mtr.)



CSFL-A15
Lower Track (4Mtr.)




CSFL-A14
Lower Column Clip



CSFL-A16
Upper Fixing Clip



CSFL-A17
Lower Fixing Clip



Features

- > Maximum Weight per Door : 70kg
- > Maximum Width per Door : 900mm
- > Maximum Height per Door : 2400mm
- > Suitable for : 8mm, 10mm Glass Thickness
- > Material Used : Hardware SS 304 Aluminium Profiles – 6463

OFFICE PARTITION PROFILES



CGP-05
Size : 25x45 MM




CGP-06
Size : 25x45 MM



CGP-07
Size : 25x45 MM




COPF-01
Size : 25x45 MM



COPF-02
Door Post



COPF-03
Four way profile




COPF-04
Fixing Profile with Single clip



COPF-05
Fixing Profile



COPF-06
Divider with Single clip




COPF-07
Divider with double clip



COPF-08



COPF-09




COPF-10



COPF-11




COPF-12



COPF-13



COPF-14



COPF-15



COPF-16



COPF-17



COPF-18



COPF-19



COPF-20



COPF-21



COPF-22

Door Post



COPF-23



COPF-24

Size : 44x75 mm
Style Door Vertical



COPF-25



COPF-26



COPF-27



COPF-28

Size : 42x75 mm
Style Door Horizontal

SLIM PROFILES AND ACCESSORIES



CVS-01

Size : 16x45 mm



CHS-01

Size : 16x45 mm



CSTS-UT-01

Upper Track




CSTS-UTC-01

Track Cover



CDS-JB-01

Size : 16x45 mm



CVS-02

Size : 10x42 mm



CHS-02

Size : 10x42 mm



CSTS-UT-02

Upper Track




CSTS-UTC-02

Track Cover



CDS-JB-02

Size : 15x15 mm



CVS-03

Size : 10x32 mm



CHS-03

Size : 10x32 mm



CSML-01

Glass Door Lock



CSML-02

Magnetic Glass Lock
Suitable for 16 x 45



CSML-B-01

Bio Metric Door Lock
Suitable for 16 x 45



CSML-04

Style Door Mortise Lock



CAH-1

Size : 25x45 mm



CAH-11

Hinges



CAH-111

Hinges



CBH-02

Hinges



CSML-B-01

Lock



CSOD-TPBP-01

Top and Bottom Pivot



CAPL-90°-01

L-Jointer



CAPL-90°-02

L-Jointer



CAPL-90°-03

L-Jointer



CAPL-90°-04

L-Jointer



CAPL-180°-01

Jointer



CSP-SHL-01

Handle With Lock



CSP-SH-02

Sliding Handle



CDC-04

Door Closer



CMGP-01



CMSP-02




CMSP-03



CMSP-04



CGP-TWIN PRO-01
Silver
BM / CG
RG / G



CGP-02
BM
RG/G/CG




CGP-05



COPF-02



CAH-111



CDGP-01

Duble Glazing Profile
Size-80x30mm



CGP-08

Single Glazing Profile
Size-22x25mm



CGP-09

Single Glazing Profile
Size-22x25mm



CGP-10

Single Glazing Profile
Size-25x25mm



CGP-11

Single Glazing Profile
Size-25x25mm



COPF-29

I Profile
Size-10/12mm




COPF-30

L Profile
Size-10/12mm




COPF-31

T Profile
Size-10/12mm



COPF-32

Pasting Profile
Size-6x25



COPF-33

U Grouve Profile
Size-5/7.5/10mm



COPF-34

L Corner Guards
Size-12/18/25/38/50mm



COPF-49

L Profile



COPF-35

T Profile
Size-10/16/40mm



COPF-36

T Profile
Size-6/20/30mm



COPF-37

T Profile Base
Size-7.5x32mm




COPF-38

Flexi Carpet Profile
Size-30/40/50mm



COPF-39

Z Carpet Profile
Size-8x28mm




COPF-40

Stair Edge Profile
Size-45/60mm



COPF-41

Marker & Pencil Tray
Size-25x80x15mm



COPF-42

Door Stopper



COPF-43

Door Stopper



COPF-44

Door Stopper



COPF-45

Door Stopper



COPF-46

Dummy Cap



COPF-47

Skirting Profile



COPF-48

Capping Strip



PATCH FITTING



CFS-8400 (BM) (Combo)

CPF-01

GLAZING PROFILE OPTIONS



CGP-01

CGP-02

CGP-03

CGP-05

CGP-06

CGP-07

CMGP-01

SHOWER PARTITION PROFILES



COPF-02 (BM)
Door Post



CBH-02 (BM)
Hinges



CDH-8 (BM)
32x302x450



CGP-07 (BM)
Fixing Profile



CSP-DN-01(BM)
Door Knob Lock



COPF-01 (BM)
Divider

ALUMINIUM RAILING PROFILE



CBP-01 Brackets with Continuous Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :



● CBP 01 BRT
70MM
140MM



● CBP 01 Cover
70MM




● CBP 01 EC Bottom



● CBP 01 EC Slotted

- Infinite

Railing Length	●	24'	18'	15'	12'	
Glass Height		30"	33"	36"	39"	42"




- ★ Top mounted with Bracket and Cover.
- ★ Suitable For 12 mm Glass Thickness.

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBP-02 Brackets with Continuous Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :



● CBP 02 BRT
70MM
140MM



● CBP 02 Cover
70MM




● CBP 02 EC Bottom



● CBP 02 Slotted

- Infinite

Railing Length	●	24'	18'	15'	12'	
Glass Height		30"	33"	36"	39"	42"




- ★ Top mounted with Bracket and Cover.
- ★ Suitable For 12 mm Glass Thickness.

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBP-03

Continuous Profile



CBP 03 BRT
70MM




CBP 03 EC Bottom



CBP 03 EC Slotted



Scan to Watch Video



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	18'	15'	12'
Glass Height	30"	33"	36"	39"	42"	

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBP-04

Continuous Profile




CBP 04 BRT
70mm



CBP 04 EC Bottom
70mm



CBP 04 EC Slotted
70mm



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	15'	12'
Glass Height	30"	33"	36"	39"	42"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBP-05

Continuous Profile




CBP 05 BRT
70MM



CBP 05 EC Bottom



CBP 05 EC Slotted



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	12'	10'	8'
Glass Height	30"	33"	36"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBP-06

Continuous Profile




CBP 06 BRT
70MM



CBP 06 EC Bottom



CBP 06 EC Slotted



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :


• Infinite

Railing Length	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	16'	14'	12'
Glass Height	30"	33"	36"	39"	42"	45"	48"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.


- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating



CBP-07

Continuous Side Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16'	14'
Glass Height	30"	33"	36"	39"	42"	45"

- ★ Side mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.


★ This Product Can Support Glass Height as per given above chart

★ Available Finish : Sandblasted / Anodized / Electroplating
PVD / Wooden / Powder Coating



CBP-08

Continuous Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16'	14'
Glass Height	30"	33"	36"	39"	42"	45"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.


★ This Product Can Support Glass Height as per given above chart

★ Available Finish : Sandblasted / Anodized / Electroplating
PVD / Wooden / Powder Coating



CBP-09

Continuous Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite

Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15'	12'
Glass Height	30"	33"	36"	39"	42"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.


★ This Product Can Support Glass Height as per given above chart

★ Available Finish : Sandblasted / Anodized / Electroplating
PVD / Wooden / Powder Coating



CBP-10

Continuous Profile



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

• Infinite


Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16'	14'	12'
Glass Height	30"	33"	36"	39"	42"	45"	48"

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.

★ This Product Can Support Glass Height as per given above chart

★ Available Finish : Sandblasted / Anodized / Electroplating
PVD / Wooden / Powder Coating

CBPL-01 LED Bottom Continuous Profile




● CBP 11 BRT



● CBP 11 EC Bottom



● CBP 11 EC Slotted



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

- ★ Top mounted with Continuous Section.
- ★ Suitable For 12 mm Glass Thickness.


● Infinite

Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15'	12'
Glass Height	30"	33"	36"	39"	42"

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBRT-01 Bottom Railing Bracket



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

- ★ Top mounted with Bracket Base.
- ★ Suitable For 12 mm Glass Thickness.


● Infinite

Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15'	12'
Glass Height	30"	33"	36"	39"	42"

- ★ This Product Can Support Glass Height as per given above chart

- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating

CBRT-02 Bottom Railing Bracket



- ★ Dark Color :
- ★ Wood Color :
- ★ Metallic color :

- ★ Top mounted with Bracket Base.
- ★ Suitable For 12 mm Glass Thickness.

● Infinite


Railing Length	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15'	12'
Glass Height	30"	33"	36"	39"	42"

- ★ This Product Can Support Glass Height as per given above chart


- ★ Available Finish : Sandblasted / Anodized / Electroplating PVD / Wooden / Powder Coating



HANDRAILS & ACCESSORIES



CHR-1
40x40




CHR-1 90° Bend
40x40




CHR-1 WC
40x40




CHR-1 End Cap
40x40



CHR-1 180° Joints
40x40



CHR-2
50x50




CHR-2 90° Bend
50x50





CHR-2 WC
50x50



CHR-2 End Cap
50x50



CHR-2 180° Joints
50x50



CHR-3 Round
50 MM



CHR-3 90° Bend
50 MM




CHR-3 WC
50 MM



CHR-3 End Cap
50 MM



CHR-3 180° Joints
50 MM



CHR-4
25x25



CHR-4 90° Bend
25x25




CHR-4 WC
25x25



CHR-4 End Cap
25x25



CHR-4 180° Joints
25x25



CHR-5
25x30



CHR-5 90° Bend
25x30



CHR-5 WC
25x30



CHR-5 End Cap
25x30




CHR-5 180° Joints
25x30



CHR-6

35x60



CHR-6 90° Bend

35x60



CHR-6 WC

35x60



CHR-6 End Cap

35x60



CHR-6 180° Joints

35x60



CHR-7

35x40



CHR-7 90° Bend

35x40



CHR-7 WC

35x40




CHR-7 End Cap

35x40



CHR-7 180° Joints

35x40



CHR-8 Oval

45x69



CHR-8 90° Bend

45x69



CHR-8 WC

45x69




CHR-8 End Cap

45x69



CHR-8 180° Joints

45x69



CHR-9 Half Round



CHR-9 90° Bend



CHR-9 WC



CHR-9 End Cap



CHR-9 180° Joints



CHR-10

65x40



CHR-10 90° Bend

65x40



CHR-10 WC

65x40




CHR-10 End Cap

65x40



CHR-10 180° Joints

65x40



CHR-11 Incline
45x69



CHR-11 90° Bend
45x69



CHR-11 WC
45x69



CHR-11 End Cap
45x69



CHR-11 180° Jointer
45x69



CHR-12
36x60



CHR-12 90° Bend
36x60



CHR-12 WC
36x60



CHR-12 End Cap
36x60



CHR-12 180° Jointer
36x60

HANDRAILS WITH LED



CHRL-1 Single LED
70x35



CHRL-1 90° Bend
70x35





CHRL-1 WC
70x35




CHRL-1 End Cap
70x35



CHRL-1 180° Jointer
70x35



CHRL-2 Dual LED
70x30



CHRL-2 90° Bend
70x30




CHRL-2 WC
70x30



CHRL-2 End Cap
70x30



CHRL-2 180° Jointer
70x30



CHRL-3 Single LED
50x50




CHRL-3 90° Bend
50x50



CHRL-3 WC
50x50



CHRL-3 End Cap
50x50



CHRL-3 180° Jointer
50x50

PVD COATED RAILING SERIES



CRS-1 (G)



CRS-1 (RG)



CRS-1 (BM)



CRS-1 (AT)



CRS-1 (CG)



CRS-1 (WD)



CRS-4 (G)



CRS-4 (RG)



CRS-4 (BM)



CRS-4 (AT)



CRS-4 (CG)



CRS-4 (WD)



CRE-6 (G)

Glass to Handrail



CRE-6 (RG)

Glass to Handrail



CRE-6 (BM)

Glass to Handrail



CRE-6 (AT)

Glass to Handrail



CRE-6 (CG)

Glass to Handrail



CRE-6 (WD)

Glass to Handrail



CRA-9 (G)

Railing Stud 45mm



CRA-9 (RG)

Railing Stud 45mm



CRA-9 (BM)

Railing Stud 45mm



CRA-9 (AT)

Railing Stud 45mm



CRA-9 (CG)

Railing Stud 45mm



CRA-9 (WD)

Railing Stud 45mm



**CSHR-1 50mm (G)
(Round)**

Single Slotted Round Pipe



**CSHR-1 50mm (RG)
(Round)**

Single Slotted Round Pipe



**CSHR-1 50mm (BM)
(Round)**

Single Slotted Round Pipe



**CSHR-1 50mm (AT)
(Round)**

Single Slotted Round Pipe



**CSHR-1 50mm (CG)
(Round)**

Single Slotted Round Pipe



**CSHR-1 50mm (WD)
(Round)**

Single Slotted Round Pipe



CSHR-2 (40x40) (G)

Single Slotted Square Pipe



CSHR-2 (40x40) (RG)

Single Slotted Square Pipe



CSHR-2 (40x40) (BM)

Single Slotted Square Pipe



CSHR-2 (40x40) (AT)

Single Slotted Square Pipe




CSHR-2 (40x40) (CG)

Single Slotted Square Pipe



CSHR-2 (40x40) (WD)

Single Slotted Square Pipe



GLASS RAILING SPIGOTS



CRS-1
SSS/PSS



CRS-2



CRS-3



CRS-4



CRS-5



CRS-7



CRS-8



CRS-9



CRS-10



CRS-11



CRS-12



CRS-13



CRS-14

SS 304 CASTED SPIGOTS



CRS-15



CRS-16



CRS-17



CRS-18



CRS-19




CRS-20



CRS-21



CRS-22



CRS-23
SS 304 Casted Spigot



CRS-24
Antique Finish



CRS-25
Antique Finish

SPIGOT BASE CAP



CSBC-1
Spigot Base Cap



CSBC-2
Spigot Base Cap



CSBC-3
Spigot Base Cap



CSBC-4
Spigot Base Cap



CRMF-01
Spigot Base Cap



CRDC-01
Spigot Base Cap

RAILING ELBOWS



CRE-2
Glass to Handrail



CRE-3
Glass to Handrail



CRE-5
Glass to Handrail



CRE-6
Glass to Handrail



CRE-7
Glass Bracket L Type

RAILING CONNECTORS & STUDS



CRA-4 (Flat)
U Shape
Railing Connector



CRA-5 (Curve)
U Shape
Railing Connector



CRA-7
Railing Stud 50mm Adjustable



CRA-8
Railing Stud 50mm Adjustable



CRA-9
Railing Stud 45mm

SS-ADJUSTABLE JOINTERS




CRAJ-1
Adjustable Jointer
50mm (Round)



CRAJ-2
Adjustable Jointer



CRAJ-3
Adjustable Jointer



CRAJ-4
Adjustable Jointer
40x40 90° Down
40x60 90° Down
50x50 90° Down

ALUMINIUM ADJUSTABLE JOINTERS



CRAJ-5
★ Dark Color :
★ Wood Color :
★ Metallic color :




CRAJ-6
★ Dark Color :
★ Wood Color :
★ Metallic color :



CRAJ-7
★ Dark Color :
★ Wood Color :
★ Metallic color :

HANDRAILS & JOINTERS



CSHR-1 50 mm (Round)
Single Slotted Round Pipe



CSHR-1 WC
Wall Slotted Pipe Jointer



CSHR-1 (90°)
Slotted Pipe Jointer 90°



CSHR-1 (180°)
Slotted Pipe Jointer 180°



CSHR-1 EC
Slotted Pipe End Cap



CSHR-2 (40x40)
Single Slotted Square Pipe



CSHR-2 WC
Wall Slotted Pipe Jointer



CSHR-2 (90°)
Slotted Pipe Jointer 90°



CSHR-2 (180°)
Slotted Pipe Jointer 180°



CSHR-2 EC
Slotted Pipe End Cap



CSHR-3 (40x60)
Single Slotted Square Pipe



CSHR-3 WC
Wall Slotted Pipe Jointer



CSHR-3 (90°)
Slotted Pipe Jointer 90°



CSHR-3 (180°)
Slotted Pipe Jointer 180°



CSHR-3 EC
Slotted Pipe End Cap



CSHR-4 (50x50)
Single Slotted Square Pipe



CSHR-4 WC
Wall Slotted Pipe Jointer



CSHR-4 (90°)
Slotted Pipe Jointer 90°



CSHR-4 (180°)
Slotted Pipe Jointer 180°



CSHR-4 EC
Slotted Pipe End Cap

CANOPY FITTINGS



CCF-10
Wall to Glass



CCF-20
Wall to Glass



CCF-30
Wall to Glass



CCF-40
Wall to Glass



CCF-1
Wall to Glass
Connector



CCF-2
Rod to Glass
Connector



CCF-3
Wall to Rod
Connector



CCF-4
Canopy Rod
with Thread



CCF-11
Wall to Glass
Connector



CCF-22
Adjustable Glass
Connector



CCF-33
Wall
Connector



CCF-44
Threaded
Sleeve

SPIDER FITTING

SPIDER WITHOUT FIN



CSP-B-221
One Way Spider



CSP-B-222A (90°)
Two Way Spider



CSP-B-222 (180°)
Two Way Spider



CSP-B-224
Four Way Spider



CSP-B-224 (90°)
Four Way Spider

SPIDER WITH FIN



CSP-A4
Four Way Spider



CSP-A44
Two Way Spider (Wall Mounted)



CSP-A22
One Way Spider (Wall Mounted)



CSP-A2
Two Way Spider

FIN PLATES



CFP-200
Fin Plate (200mm)



CFP-300
Fin Plate (300mm)



CFP-350
Fin Plate (350mm)



CFP-400
Fin Plate (400mm)

SPLICE PLATES



CSP-200
Splice Plate (200mm)



CSP-250
Splice Plate (250mm)



CSP-300
Splice Plate (300mm)



CSP-350
Splice Plate (350mm)

POINT FIXED GLASS CONNECTORS



CPFC-1
Wall to Glass (Adjustable)
(Available in 82mm & 103mm)



CPFC-2
Glass to Glass (Adjustable)
(Available in 82mm & 103mm)



CPFC-11
Wall to Glass (Fix)
(Available in 82mm & 103mm)



CPFC-22
Glass to Glass (Adjustable with fin)
(Available in 82mm & 103mm)

ROUTELS



CSP-AFB-36FL
Articulated Routel
(Flat Head)



CSP-AFB-36CS
Articulated Routel
(Counter Sunk Hole)



CSP-FB-FL
Fixed Routel
(Flat Head)



CSP-IA-01
Iron Assembly



CSP-FB-CS
Fixed Routel
(Counter Sunk)



CSP-FBM
Fixed Routel
(Mini)



CSP-FB(FH/CS)
Fixed Bolt
(Flat Head / Counter Sunk)

POINT SPIDERS WITH FIN



CSP-D-22
One Way Spider for Wall/Ceiling



CSP-D-44 (90°)
Two Way Spider 90° for Wall/Ceiling



CSP-D-2 (180°)
Two Way Spider 180° With Fin



CSP-D-4
Four Way Spider With Fin

SPIDERS WITHOUT FIN (BLACK MATT)



CSP-B-221 (BM)
One Way Spider



CSP-B-222A (90°) (BM)
Two Way Spider



CSP-B-222 (180°) (BM)
Two Way Spider



CSP-B-224 (BM)
Four Way Spider



CSP-B-224 (90°) (BM)
Four Way Spider

SPIDERS WITH FIN (BLACK MATT)



CSP-A4 (BM)
Four Way Spider



CSP-A44 (BM)
Two Way Spider (Wall Mounted)



CSP-A2 (BM)
Two Way Spider (Wall Mounted)



CSP-A4 (BM)
One Way Spider

FIN PLATES (BLACK MATT)



CFP-200 (BM)
Fin Plate (200mm)



CFP-300 (BM)
Fin Plate (300mm)



CFP-350 (BM)
Fin Plate (350mm)



CFP-400 (BM)
Fin Plate (400mm)

SPLICE PLATES (BLACK MATT)



CSP-200 (BM)
Splice Plate (200mm)



CSP-250 (BM)
Splice Plate (250mm)



CSP-300 (BM)
Splice Plate (300mm)



CSP-350 (BM)
Splice Plate (350mm)

ROUTELS (BLACK MATT)



CSP-FB-FL (BM)
Fixed Routel



CSP-AFB-36FL (BM)
Articulated Routel

DOOR HANDLES



H-TYPE (Round)

- 25x200x250
- 25x250x300
- 32x302x457
- 32x450x600
- 32x480x600
- 32x600x750
- 32x600x900
- 32x900x1200
- 32x1200x1500



H-TYPE (G)

- 32x302x457
- 32x450x600



H-TYPE (RG)

- 32x302x457
- 32x450x600



H-TYPE (BM)

- 32x302x457
- 32x450x600



H-TYPE (AT)

- 32x302x457
- 32x450x600



H-TYPE (CG)

- 32x302x457
- 32x450x600



H-TYPE (WD)

- 32x302x457
- 32x450x600

Door Handle With Lock



C-TYPE

- 25x302x327
- 25x450x475
- 25x600x625
- 25x900x925



S-TYPE

- 32x302x457



CDH-A1(Adjustable)

- 32x302x457
- 32x450x600
- 32x600x900
- 32x900x1200



CDH-1

- 25/25x302x327
- 30/30x450x480
- 30/30x600x630
- 30/30x900x930



CDH-1 (BM)

- 25/25x302x332
- 30/30x450x430



CDH-2

- 38x302x457



CDH-3

- 32x302x450



CDH-4

- 32x302x450



CDH-5

- 25x25x302x457
- 30x30x450x600
- 30x30x480x600
- 30x30x600x750
- 30x30x600x900
- 30x30x900x1200
- 30x30x1200x1500



CDH-6

- 32x302x450



CDH-7

- 32x302x450



CDH-8 (SS)

- 25x300x327
- 32x450x487
- 32x600x632



CDH-8 (BM)

- 25x300x327
- 32x450x487
- 32x600x632



CDH-8 (G)

- 25x300x327
- 32x450x487
- 32x600x632



CDH-8 (RG)

- 25x300x327
- 32x450x487
- 32x600x632



CDH-9

- 32x302x450



CDH-10

- 32x450x600



CDH-11

- 32x302x450



CDH-12

- SS
- 25x302x327
- 25x450x475
- 25x600x625



CDH-WSS-1
25/45x302x450
25/45x450x550



CDH-WSS-2
25/25x302x327
30/30x450x480



CDH-WSS-3
25/25x302x327
30/30x450x480



CDH-WSS-4
25/25x302x327
30/30x450x480



CDH-WSS-5
25/25x302x327



CDH-WSS-6
32x300x332
32x450x482

CRYSTAL DOOR HANDLES



CDH-BUBLE
38x302x457
38x450x600



CDH-CRY-1 (Crystal)
32x200x300
32x300x450
32x450x600



CDH-CRY-2 (Crackl)
32x200x300
32x300x450
32x450x600



CDH-CRY-3
32x200x300
32x300x450
32x450x600



CDH-CRY-4
32x200x300
32x300x450
32x450x600



CDH-CRY-5
32x200x300
32x300x450
32x450x600



CDH-CRY-6
32x200x300
32x300x450
32x450x600



CDH-CRY-7
32x200x300
32x300x450
32x450x600



CDH-CRY-8
32x200x300
32x300x450
32x450x600



CDH-CRY-9
38x200x300
44x300x450
50x450x600



CDH-CRY-10
38x200x300
44x300x450
50x450x600



CDH-CRY-11
38x200x300
44x300x450
50x450x600



CDH-CRY-12
38x200x300
44x300x450
50x450x600




CDH-CRY-13
38x200x300
44x300x450
50x450x600



CDH-CRY-14
50x300x450



CDH-CRY-15
50x300x450



CDH-CRY-16
50x300x450



CDH-CRY-17
32/25x200x300
32/25x300x450
32/25x450x600



CDH-CRY-18
32/25x200x300
32/25x300x450
32/25x450x600



CDH-CRY-19
44x300x450

DOOR KNOB



CDK-1
Door Knob



CDK-2
Door Knob



CDK-3
Door Knob




CDK-4
Door Knob



CDK-5 (G, RG, BM)
Door Knob

SHOWER HANDLES



CDH-TB-01 (Round)
19x152x457CC
25x152x457CC



CDH-TB-02 (Square)
25x152x457CC



CDH-TB-03 (With Knob) (Round)
19x152x457CC
25x152x457CC



CDH-TB-04 (With Knob) (Square)
25x152x457CC



CDH-TB-01 (G, RG, BM)
19x152x457CC



CDH-TB-02 (G, RG, BM) (Square)
25x152x457CC



CDH-TB-05
25x152x457CC
25x152x457CC

FOOT PULL HANDLE



CDH-FPH-01
Foot Pull Handle

ANTIQUUE HANDLES

Size, Shape, Design and Finish can be Customised as per the requirement.



CDH-ANT-01



CDH-ANT-02



CDH-ANT-03



CDH-ANT-05




CDH-ANT-06



CDH-ANT-07



CDH-ANT-08



CDH-ANT-09



CDH-ANT-10



CDH-ANT-11



CDH-ANT-12



CDH-ANT-13




CDH-ANT-14



CDH-ANT-15



CDH-ANT-16



DOOR LOCKS WITHOUT CUTOUT



CWCL-01
Glass to Glass Lock
(Only Key)



CWCL-02
Wall to Glass Lock
(Only Key)



CWCL-03
Glass to Glass Lock
(Key & Knob)



CWCL-04
Wall to Glass Lock
(Key & Knob)



CWCL-05
Glass to Glass Lock
(Key & Knob)



CWCL-06
Wall to Glass Lock
(Key & Knob)



CWCL-07
Glass to Glass Lock
(Only Knob)



CWCL-08
Wall to Glass Lock
(Only Knob)



CWCL-09 (Pin Type)
Glass to Glass Lock
(Key & Knob)



CWCL-10 (Pin Type)
Wall to Glass Lock
(Key & Knob)



CWCL-11 Mini
Glass to Glass Lock
(Only Knob)



CWCL-12 Mini
Wall to Glass Lock
(Only Knob)



CWCL-13
Glass to Glass Lock
(Only Key)



CWCL-14
Wall to Glass Lock
(Only Key)



CWCL-17
Finger Print Touch Lock
(Wall to Glass)



CWCL-18
Finger Print Touch Lock
(Glass to Glass)

BIOMETRIC GLASS DOOR LOCK



CSDL-11
Sliding Door Lock
(Glass to Glass)



CSDL-12
Sliding Door Lock
(Wall to Glass)



CSDL-13A+13C
Sliding Door Lock
(with Strike Plate)



CSDL-13A+13B
Sliding Door Lock
(with Strike Box)



CSDL-14A+14B
Sliding Door Lock
(with Sliding Handle)




CGML-01
Glass to Glass Lock
(Key & Knob)



CGML-02
Wall to Glass Lock
(Key & Knob)

DOOR LOCKS WITH CUTOUT

SHOWER CUBICLE ROSE GOLD SERIES



CDH-5 (RG)
H-Type Handle
32x302x450



CSKH-55 (RG)
Rod to Rod (T-Connector)



CGC-HR-04 (RG)
L-Connector (Round)



CSH-222 (RG)
Glass To Glass Hinge 180°



CSH-111 (RG)
Wall to Glass Hinge 90°



CSKH-11 (RG)
Wall to Rod



CSKH-22 (RG)
Rod to Glass



CSKH-33 (RG)
Rod to Rod



CSKH-ACC-25x25 (RG)
Reinforcing Rod



SHOWER CUBICLE GOLD SERIES



SHOWER CUBICLE BLACK MATT SERIES



CAH-111 (G)
Hinges



C-TYPE (G)



COPF-02 (G)
Door Post



CSKH-111 (BM)
Wall to Track Connector



CSKH-222 (BM)
Track to Glass Connector



CSH-22 (BM)
Glass to Glass Hinge 180°



CSKH-333 (BM)
Track to Track Connector



CSKH-ACC-10/30 (BM)
Shower Sliding Track
Connecting Track



CDH-TB-04 (BM)
Shower Handle With Knob
25x457CC



SHOWER HINGES

Material: Stainless Steel 304 Grade



CSH-11 H/P
Wall to Glass 90°
Off Set Hinge



CSH-11
Wall to Glass 90°
Hinge



CSH-22
Glass to Glass 180°
Hinge



CSH-33
Glass to Glass 135°
Hinge



CSH-44
Glass to Glass 90°
Hinge



CSH-55
Wall to Glass 90°
Fix Bracket



CSH-66
Wall to Glass 90°
Fix Bracket

GOLD FINISH



CSH-11 H/P (G)
Wall to Glass 90°
Off Set Hinge



CSH-11 (G)
Wall to Glass 90°
Hinge



CSH-22 (G)
Glass to Glass 180°
Hinge



CSH-33 (G)
Glass to Glass 135°
Hinge



CSH-44 (G)
Glass to Glass 90°
Hinge



CSH-55 (G)
Wall to Glass 90°
Fix Bracket

ROSE GOLD FINISH



CSH-11 H/P (RG)
Wall to Glass 90°
Off Set Hinge



CSH-11 (RG)
Wall to Glass 90°
Hinge



CSH-22 (RG)
Glass to Glass 180°
Hinge



CSH-33 (RG)
Glass to Glass 135°
Hinge



CSH-44 (RG)
Glass to Glass 90°
Hinge



CSH-55 (RG)
Wall to Glass 90°
Fix Bracket

BLACK MATT FINISH



CSH-11 H/P (BM)
Wall to Glass 90°
Off Set Hinge



CSH-11 (BM)
Wall to Glass 90°
Hinge



CSH-22 (BM)
Glass to Glass 180°
Hinge



CSH-33 (BM)
Glass to Glass 135°
Hinge



CSH-44 (BM)
Glass to Glass 90°
Hinge



CSH-55 (BM)
Wall to Glass 90°
Fix Bracket

ANTIQUUE FINISH



CSH-11 H/P (AT)
Wall to Glass 90°
Off Set Hinge



CSH-11 (AT)
Wall to Glass 90°
Hinge



CSH-22 (AT)
Glass to Glass 180°
Hinge



CSH-33 (AT)
Glass to Glass 135°
Hinge



CSH-44 (AT)
Glass to Glass 90°
Hinge



CSH-55 (AT)
Wall to Glass 90°
Fix Bracket

CHAMPAGNE FINISH



CSH-11 H/P (CG)
Wall to Glass 90°
Off Set Hinge



CSH-11 (CG)
Wall to Glass 90°
Hinge



CSH-22 (CG)
Glass to Glass 180°
Hinge



CSH-33 (CG)
Glass to Glass 135°
Hinge



CSH-44 (CG)
Glass to Glass 90°
Hinge



CSH-55 (CG)
Wall to Glass 90°
Fix Bracket

SHOWER KNIGHT HEAD ACCESSORIES

Round Series Dia 19mm
Material: Brass / SS 304



CSKH-1
Wall to Rod
SS
Color



CSKH-2
Rod to Glass
SS
Color



CSKH-3
Rod to Rod
SS
Color



CSKH-12
Wall to Rod + Glass
SS
Color



CSKH-32
Rod to Rod + Glass
SS
Color



CSKH-4
Rod to Glass
SS
Color



CSKH-5
Rod to Rod T Connector
SS
Color



CSKH-ACC-19
Reinforcing Rod
SS
Color

Square Series Dia 25x25mm



CSKH-11
Wall to Rod
SS
Color



CSKH-22
Rod to Glass
SS
Color



CSKH-33
Rod to Rod
SS
Color



CSKH-44
Rod to Glass
SS
Color



CSKH-55
Rod to Rod T Connector
SS
Color



CSKH-ACC-25x25
Reinforcing Rod
SS
Color

ED SERIES (10X30MM)



CSKH-111
Wall to Track
Connector
SS
Color



CSKH-222
Track to Track
Connector
SS
Color



CSKH-333
Track to Track
Connector
SS
Color



CSKH-ACC-10/30
Connecting Track
SS
Color

HYDRAULIC SHOWER HINGES



CHSH-01(SS)
Wall to Glass Hinge
SS



CHSH-02(SS)
Glass to Glass Hinge
SS

PLASTIC PROFILES

For: 8/10/12mm Glass
Size : 2.2mtr / 2.5mtr



CPS-02 (Center Seal)
(10mm)
(8,12mm)
(Black Matt)



CPS-03 (Side Seal)
(10mm)
(8,12mm)
(Black Matt)



CPS-04 (D Seal)
(10mm)
(8,12mm)
(Black Matt)




CPS-05 (Water Dispersal Seal)
(10mm)
(8,12mm)
(Black Matt)



CPS-06 (Sliding Door Seal)
(10mm)
(8,12mm)
(Black Matt)

MAGNETIC PROFILES



CPS-M1 180°
(10mm)
(8,12mm)
(Black Matt)



CPS-M2 135°
(10mm)
(8,12mm)
(Black Matt)



CPS-90°
(10mm)
(8,12mm)
(Black Matt)

U CHANNEL FOR FIXED GLASS

Available in 3 Mtr. Thickness 1.5 mm



CGP-03
U-Channel
(25mm x 13mm)
CP/SS
Color



CGP-04
U-Channel
(35mm x 13mm)
CP/SS
Color

BATHROOM PARTITION SET



CWPF-01
Material : SS 304
Holder - 2 Pcs, Hinge - 1 Pair,
Indicator Lock - 1 Pcs, Handle - 1 Pair,
Connecting Angle - 12 Pcs, Hook - 1 Pcs



CWPF-02
Material : Nylon
Holder - 2 Pcs, Hinge - 1 Pair,
Indicator Lock - 1 Pcs, Handle - 1 Pair,
Connecting Angle - 12 Pcs, Hook - 1 Pcs

MINI HINGES



CMH-01 (SS)
Wall To Glass Hinge



CMH-02 (SS)
Glass To Glass Hinge



CMH-03 (ZINC)
Wall To Glass Hinge



CMH-04 (BRASS)
Wall To Glass Hinge



CMH-05 (BRASS)
Wall To Glass Hinge

SHOWER SLIDING SYSTEM



CDH-1 (AT)
Door Handle



CSL-ED-11 (AT)
Shower Sliding System



CSL-44-A2 (Set) (G)
Sliding Roller



CSL-44-A3
Stopper




CSL-44-B3 (G)
Aluminium Track (Door+Fix Glass)



CGP-03 (G)
U-Channel



CDH-1 (G)
Door Handle



SHOWER SLIDING SYSTEM



- Rollers - 2 Set
- Track to Glass Holder - 2 pc
- Floor Guide - 1 pc
- Door Stopper - 2 pc
- Sliding Door 2mtr. - 1 pc
- Sliding Handle - 1 pc
- Wall to Track Connector - 2 pc

CP Finish
Brass Combo



CSL-ED-11(CP)
Roller



CSL-ED-A2(CP)
Track to Glass Holder



CSL-ED-A4(CP)
Floor Guide



CSL-ED-A5(CP)
Wall to track Connector



CSL-HN-50(CP)
Sliding Handle



CSL-ED-A3(CP)
Stopper



CSKH-ACC-10/30(CP)
Connecting Track

Gold Finish
Brass Combo



CSL-ED-11(G)
Roller



CSL-ED-A2(G)
Track to Glass Holder



CSL-ED-A4(G)
Floor Guide



CSL-ED-A5(G)
Wall to track Connector



CSL-HN-50(G)
Sliding Handle



CSL-ED-A3(G)
Stopper



CSKH-ACC-10/30(G)
Connecting Track


Rosegold
Finish
Brass Combo



CSL-ED-11(RG)
Roller



CSL-ED-A2(RG)
Track to Glass Holder



CSL-ED-A4(RG)
Floor Guide



CSL-ED-A5(RG)
Wall to track Connector



CSL-HN-50(RG)
Sliding Handle



CSL-ED-A3(RG)
Stopper



CSKH-ACC-10/30(RG)
Connecting Track

Black Matt
Finish
Brass Combo



CSL-ED-11(BM)
Roller



CSL-ED-A2(BM)
Track to Glass Holder



CSL-ED-A4(BM)
Floor Guide



CSL-ED-A5(BM)
Wall to track Connector



CSL-HN-50(BM)
Sliding Handle



CSL-ED-A3(BM)
Stopper



CSKH-ACC-10/30(BM)
Connecting Track

Antique
Finish
Brass Combo



CSL-ED-11(AT)
Roller



CSL-ED-A2(AT)
Track to Glass Holder



CSL-ED-A4(AT)
Floor Guide



CSL-ED-A5(AT)
Wall to track Connector



CSL-HN-50(AT)
Sliding Handle



CSL-ED-A3(AT)
Stopper



CSKH-ACC-10/30(AT)
Connecting Track


Champagne
Finish
Brass Combo



CSL-ED-11(CG)
Roller



CSL-ED-A2(CG)
Track to Glass Holder



CSL-ED-A4(CG)
Floor Guide



CSL-ED-A5(CG)
Wall to track Connector



CSL-HN-50(CG)
Sliding Handle



CSL-ED-A3(CG)
Stopper



CSKH-ACC-10/30(CG)
Connecting Track

CURVED TRACK SLIDING SYSTEM



- Rollers - 2 pc
- Track Mounting Bracket - 2 pc
- Floor Guide - 1 pc
- Track to Track 90° Bracket - 1 pc (Optional)
- Sliding Track 2 mtr./ 4mtr. - 1 pc
- Fixing Tool / Key - 1 pc
- Door Stopper - 2 pc

CP Finish Combo with 2 mtr Track



CSL-44G (CP)
Floor Guide



CSL-55-TB (CP)
Track to Track 90° Bracket



CSL-55-A5 (CP)
Track Mounting Bracket



CSL-55-A1 (CP)
Knob Clamp Roller (SS)



CSL-55-A3 (CP)
Door Stopper



CSL-55-T (CP)
Top Track



Fixing Tool/Key

CP Finish Double Door 90° Combo with 4 mtr Track

Gold Finish Combo with 2 mtr Track



CSL-44G (G)
Floor Guide



CSL-55-TB (G)
Track to Track 90° Bracket



CSL-55-A5 (G)
Track Mounting Bracket



CSL-55-A1 (G)
Knob Clamp Roller (SS)



CSL-55-A3 (G)
Door Stopper



CSL-55-T (G)
Top Track



Fixing Tool/Key

Gold Finish Double Door 90° Combo with 4 mtr Track

Rosegold Finish Combo with 2 mtr Track



CSL-44G (RG)
Floor Guide




CSL-55-TB (RG)
Track to Track 90° Bracket



CSL-55-A5 (RG)
Track Mounting Bracket



CSL-55-A1 (RG)
Knob Clamp Roller (SS)



CSL-55-A3 (RG)
Door Stopper



CSL-55-T (RG)
Top Track



Fixing Tool/Key

Rosegold Finish Double Door 90° Combo with 4 mtr Track

Blackmatt Finish Combo with 2 mtr Track



CSL-44G (BM)
Floor Guide



CSL-55-TB (BM)
Track to Track 90° Bracket



CSL-55-A5 (BM)
Track Mounting Bracket



CSL-55-A1 (BM)
Knob Clamp Roller (SS)



CSL-55-A3 (BM)
Door Stopper



CSL-55-T (BM)
Top Track



Fixing Tool/Key

Blackmatt Finish Double Door 90° Combo with 4 mtr Track

Antique Finish Combo with 2 mtr Track



CSL-44G (AT)
Floor Guide



CSL-55-TB (AT)
Track to Track 90° Bracket



CSL-55-A5 (AT)
Track Mounting Bracket



CSL-55-A1 (AT)
Knob Clamp Roller (SS)



CSL-55-A3 (AT)
Door Stopper



CSL-55-T (AT)
Top Track



Fixing Tool/Key

Antique Finish Double Door 90° Combo with 4 mtr Track

Champagne Finish Combo with 2 mtr Track



CSL-44G (CG)
Floor Guide



CSL-55-TB (CG)
Track to Track 90° Bracket



CSL-55-A5 (CG)
Track Mounting Bracket



CSL-55-A1 (CG)
Knob Clamp Roller (SS)



CSL-55-A3 (CG)
Door Stopper




CSL-55-T (CG)
Top Track



Fixing Tool/Key

CP Finish Double Door 90° Combo with 4 mtr Track



GLASS CONNECTORS Material : SS 304

Eco ₹ 160.00 (3mm)



CGC-1
U Connector
(3mm)
(4mm)



CGC-2
Glass to Glass 135°
(3mm)
(4mm)



CGC-3
Glass to Glass 90°
(3mm)
(4mm)



CGC-4
L Connector
(3mm)
(4mm)



CGC-4 (Mini)
Mini L Connector
(3mm)



CGC-5
Glass to Glass 180°
(3mm)
(4mm)



CGC-6
T-connector
(3mm)
(4mm)

ROUND GLASS CONNECTORS Material : SS 304



CGC-11
U Connector
(3mm)
(4mm)



CGC-22
Glass to Glass 135°
(3mm)
(4mm)



CGC-33
Glass to Glass 90°
(3mm)
(4mm)



CGC-44
L Connector
(3mm)
(4mm)



CGC-55
Glass to Glass 180°
(3mm)
(4mm)

GLASS CONNECTORS Material : Brass



CGC-111
U Connector
(Brass)



CGC-222
Glass to Glass 135°
(Brass)



CGC-333
Glass to Glass 90°
(Brass)



CGC-444
L Connector
(Brass)



CGC-555
Glass to Glass 180°
(Brass)

GLASS CONNECTORS Material : SS 304 Casted 4mm Thick



CGC-1A
U Connector



CGC-2A
Glass to Glass 135°



CGC-3A
Glass to Glass 90°



CGC-4A
L Connector



CGC-5A
Glass to Glass 180°



CGC-7
Big Connector

AVAILABLE COLOURS

GOLD FINISH



CGC-1 (G)
U Connector



CGC-2 (G)
Glass to Glass 135°



CGC-3 (G)
Glass to Glass 90°



CGC-4 (G)
L Connector



CGC-5 (G)
Glass to Glass 180°

ROSE GOLD FINISH



CGC-1 (RG)
U Connector



CGC-2 (RG)
Glass to Glass 135°



CGC-3 (RG)
Glass to Glass 90°



CGC-4 (RG)
L Connector



CGC-5 (RG)
Glass to Glass 180°

BLACK MATT FINISH



CGC-1 (BM)
U Connector



CGC-2 (BM)
Glass to Glass 135°



CGC-3 (BM)
Glass to Glass 90°



CGC-4 (BM)
L Connector



CGC-5 (BM)
Glass to Glass 180°

ANTIQUE FINISH



CGC-1 (AT)
U Connector



CGC-2 (AT)
Glass to Glass 135°



CGC-3 (AT)
Glass to Glass 90°



CGC-4 (AT)
L Connector



CGC-5 (AT)
Glass to Glass 180°

CHAMPAGNE FINISH



CGC-1 (CG)
U Connector



CGC-2 (CG)
Glass to Glass 135°



CGC-3 (CG)
Glass to Glass 90°



CGC-4 (CG)
L Connector



CGC-5 (CG)
Glass to Glass 180°

WOODEN FINISH



CGC-1 (WD)
U Connector



CGC-2 (WD)
Glass to Glass 135°



CGC-3 (WD)
Glass to Glass 90°



CGC-4 (WD)
L Connector



CGC-5 (WD)
Glass to Glass 180°

SOFT CLOSE SLIDING SYSTEM



CSCS-A11

8 Wheel Both Side Soft Close Sliding System



CSL-44-B11

Aluminium Track (Single)



CSCS-A22 (Big Roller)

8 Wheel Both Side Soft Close Sliding System





CSL-44-B33

Aluminium Track (Door + Fix)



FRAMED SOFT CLOSE SLIDING SYSTEM




CSL-44-B33-UTC
SS Track Cover



CSL-44-B33
Aluminium Track (Door + Fix)



CSCS-A33
Roller



CSL-44-B44
SS Side & Bottom Profiles




CDH-TB-04 (CP)
Square Handles
With Knob




FRAMED SOFT CLOSE SLIDING SYSTEM




CSL-44-B33-UTC
SS Track Cover



CSL-44-B33
Aluminium Track (Door + Fix)



CSL-44-B33
Roller



CSL-44-B44
SS Side & Bottom Profiles



CDH-TB-04 (CP)
Square Handles
With Knob

TRACK SLIDING SYSTEM



CSL-44-B1(CP)
Aluminium Track (Single)
Available in 10,13,16ft



CSL-44-B2(CP)
Aluminium Track (Double Door)
Available in 10,13,16ft



CSL-44-B3(CP)
Aluminium Track (Door+Fix Glass)
Available in 10,13,16ft



CSL-44-A1 (Set)(CP)
Roller (S.S./Brass)
(CSL-44-A1-2 Rollers,
CSL-44-A3-2 Stopper,
CSL-44G-1 Floor Guide)



CSL-44-A2 (Set)(CP)
Roller (Brass/S.S.)
(CSL-44-A2-2 Rollers,
CSL-44-A3-2 Stopper,
CSL-44G-1 Floor Guide)



CSL-44-R8 (Set)
Roller (S.S.)
(CSL-44-R8-2 Rollers,
CSL-44-R8-2 Stopper,
CSL-44G-1 Floor Guide)



CSL-44-R8-WC (Set)
Roller (S.S.)
(CSL-44-R8-WC-2 Rollers,
CSL-44-R8-WC-2 Stopper,
CSL-44G-WC-1 Floor Guide)



CSL-44-M4
Roller (Brass/S.S.)
(CSL-44-M4-2 Rollers,
CSL-44-A3-2 Stopper,
CSL-44G-1 Floor Guide)



CSL-44-R4
Roller (Brass/S.S.)
(CSL-44-R4-2 Rollers,
CSL-44-A3-2 Stopper,
CSL-44G-1 Floor Guide)



CSL-44-A9
Wall to
Track Connector



CSL-44G
Floor Guide



CSL-44-A5
Wall to
Track Clamp



CSL-44-A6
Glass to Track Clamp



CSL-HN-50 (CP)
Sliding Handle
Dia 50mm



CSL-HN-50 (Hollow)
Sliding Handle (Dia 50mm)



CSL-HN-55
Sliding Handle



CSL-HN-135
Sliding Handle



CSL-HN-92
Sliding Handle



OFFICE SLIDING SYSTEM

**Matt Finish
Color**
(Complete Set with 2 Mtr. Rod)



CSL-33-TH (Optional)
Wall to Rod Clamp



CSL-33-TH-G2
Glass to Rod Clamp



CSL-33-TH-WL (Optional)
Wall to Rod Holder



CSL-33B
Door Stopper



CSL-22A
Office Sliding Roller



CSL-33G
Floor Guide



CSL-ACC-25
Office Sliding Pipe

Core's Office Sliding System are now trending in office interiors and commercial spaces which gives an artistic touch to interior designs.


Office Sliding Set Includes:

- Rollers - 2 pc
- Track to Glass Holder - 2 pc
- Floor Guide - 1 pc
- Office Sliding Pipe 2 mtr. - 1 pc
- Wall to Track Connector - 2 pc

HYDRAULIC PATCH



CHFS-100
Hydraulic Patch



No Digging Floor

HYDRAULIC PATCH COMBO SET



CHFS-100 (Combo)
Hydraulic Patch Combo
CPF-2, CPL-1, Pivot (Total 4Pcs)



Top Patch



Top Pivot



Bottom Patch Lock

Specification

- Floor Mounted
- Glass Thickness up to 12mm
- Maximum Door Height: 2100mm
- Maximum Door Width: 900mm
- Maximum Door Weight: upto 70kg



SUPER SPRING FLOOR SPRING COMBO SET (JAPANESE BEARING)



CFS-8400S (Combo-Super Spring)
Double Cylinder Floor Spring Combo
CPF-2, CPF-3 CPL-1, Pivot-1 (Total 5 Pcs.)



Top Patch



Top Pivot



Bottom Patch



Bottom Patch Lock

10
Lac
Cycle Tested

Specification

- Floor Digging Required
- Japanese Bearing Inside
- Glass Thickness up to 12mm
- Maximum Door Height: 2400mm
- Maximum Door Width: 1050mm
- Maximum Door Weight: 90 to 120kg
- Special Water Resistant Coating Inside



CFS-8400 (Combo)
Double Cylinder Floor Spring Combo
CPF-2, CPF-3 CPL-1, Pivot-1 (Total 5 Pcs.)



Top Patch



Top Pivot



Bottom Patch



Bottom Patch Lock

Specification

- Floor Digging Required
- Korean Bearing Inside
- Glass Thickness up to 12mm
- Maximum Door Height: 2400mm
- Maximum Door Width: 1050mm
- Maximum Door Weight: 90 to 120kg
- Special Water Resistant Coating Inside



SINGLE CYLINDER FLOOR SPRING COMBO



CFS-7400 (Combo)
Single Cylinder Floor Spring combo
CPF-2, CPF-3, CPL-1, Pivot-1, (Total 5 Pcs.)



Top Patch



Top Pivot



Bottom Patch



Bottom Patch Lock

Specification

- Floor Digging Required
- Korean Bearing Inside
- Glass Thickness up to 12mm
- Maximum Door Height: 2100mm
- Maximum Door Width: 800mm
- Maximum Door Weight: 70 to 90kg
- Special Water Resistant Coating Inside



CFS-7400-FLOOR SPRING



CFS-7400
Single Cylinder Floor Spring

CFS-8400 FLOOR SPRING



CFS-8400
Double Cylinder Floor Spring

CFS-8400S FLOOR SPRING



CFS-8400S
Double Cylinder Floor Spring

CFS-9400-FLOOR SPRING



CFS-9400 (Heavy Duty)
Double Cylinder Floor Spring

CFS-10400 FLOOR SPRING



CFS-10400
Double Cylinder Floor Spring

CFS-6400 FLOOR SPRING



CFS-6400
Single Cylinder Floor Spring

CFS-ACC-TP/BP
Top Pivot/Bottom Pivot
for
Wooden/Aluminium Door

GOLD FINISH



CFS-7400 (G) (Combo)
CFS-7400 (G),
CPF-2 (G), CPF-3 (G), CPL-1 (G),
Pivot-1 (G), Door Handle H-type(G) (Total 6 Pcs.)



CFS-8400 (G) (Combo)
CFS-8400 (G),
CPF-2 (G), CPF-3(G) , CPL-1 (G),
Pivot-1 (G), Door Handle H-type(G) (Total 6 Pcs.)



BLACK MATT FINISH



CFS-7400 (BM) (Combo)
CFS-7400 (BM),
CPF-2 (BM), CPF-3 (BM), CPL-1 (BM),
Pivot-1 (BM), Door Handle H-Type(BM) (Total 6 Pcs.)



CFS-8400 (BM) (Combo)
CFS-8400 (BM),
CPF-2 (BM), CPF-3 (BM), CPL-1 (BM),
Pivot-1 (BM), Door Handle (BM) (Total 6 Pcs.)



ROSE GOLD (POLISHED/SATIN)



CFS-7400 (RG) (Combo)
CFS-7400 (RG),
CPF-2 (RG), CPF-3 (RG), CPL-1 (RG),
Pivot-1 (RG), Door Handle H-Type (RG) (Total 6 Pcs.)



CFS-8400 (RG) (Combo)
CFS-8400 (RG),
CPF-2 (RG), CPF-3 (RG), CPL-1 (RG),
Pivot-1 (RG), Door Handle H-Type (RG) (Total 6 Pcs.)




ANTIQUÉ FINISH



CFS-7400 (AT) (Combo)

CFS-7400 (AT), CPF-2 (AT), CPF-3 (AT), CPL-1 (AT), Pivot-1 (AT), Door Handle H-Type(AT) (Total 6 Pcs.)



CFS-8400 (AT) (Combo)

CFS-8400 (AT), CPF-2 (AT), CPF-3 (AT), CPL-1 (AT), Pivot-1 (AT), Door Handle H-Type(AT) (Total 6 Pcs.)



Top Patch



Bottom Patch



Top Pivot



Bottom Patch Lock



H- Type Handle

CHAMPAGNE FINISH



CFS-7400 (CG) (Combo)

CFS-7400 (CG), CPF-2 (CG), CPF-3 (CG), CPL-1 (CG), Pivot-1 (CG), Door Handle H-Type(CG) (Total 6 Pcs.)



CFS-8400 (CG) (Combo)

CFS-8400 (CG), CPF-2 (CG), CPF-3 (CG), CPL-1 (CG), Pivot-1 (CG), Door Handle H-Type(CG) (Total 6 Pcs.)



Top Patch



Bottom Patch



Top Pivot



Bottom Patch Lock



H- Type Handle

WOODEN FINISH



CFS-7400 (WD) (Combo)

CFS-7400 (WD), CPF-2 (WD), CPF-3 (WD), CPL-1 (WD), Pivot-1 (WD), Door Handle H-Type(WD) (Total 6 Pcs.)



CFS-8400 (WD) (Combo)

CFS-8400 (WD), CPF-2 (WD), CPF-3 (WD), CPL-1 (WD), Pivot-1 (WD), Door Handle H-Type(WD) (Total 6 Pcs.)



Top Patch



Bottom Patch



Top Pivot



Bottom Patch Lock



H- Type Handle



PATCH FITTINGS



CPF-1
BIG L-Patch



CPF-2
Top Patch



CPF-3
Bottom Patch



CPF-4
Over Panel Patch with Pivot



CPL-1
Bottom Patch Lock



CPF-610
(Small L)



CPF-640
Wall to Glass
Connecting Patch



CPF-640 A
Wall to Glass
Connecting Patch



CPF-650
Glass to Glass Connecting
Patch with Wall/Ceiling



CPF-41L
Over Panel Side Panel
Connector with Fin (Left)



CPF-41R
Over Panel Side Panel
Connector with Fin (Right)



CPF-610ST
Over Panel Side Panel
Connector with Stopper



CPF-51
Double Over Panel
Patch With Fin



CPF-610L
Triple Glass Patch
Connector With Fin (Left)



CPF-610R
Triple Glass Patch
Connector With Fin (Right)



CFS-ACC-GDP
Top Pivot for
Patch Fitting Door



CDS-1
Glass Door Stopper



CGTB-01
Glass Tower Bolt

AVAILABLE COLORS IN PATCH FITTING



CPF-1 (G)
(Big L)



CPF-1 (RG)
(Big L)



CPF-1 (BM)
(Big L)



CPF-1 (AT)
(Big L)



CPF-1 (CG)
(Big L)



CPF-1 (WD)
(Big L)



CPF-4 (G)
Over Panel Patch
with Pivot



CPF-4 (RG)
Over Panel Patch
with Pivot



CPF-4 (BM)
Over Panel Patch
with Pivot



CPF-4 (AT)
Over Panel Patch
with Pivot



CPF-4 (CG)
Over Panel Patch
with Pivot



CPF-4 (WD)
Over Panel Patch
with Pivot



CPF-610 (G)
(Small L)



CPF-610 (RG)
(Small L)



CPF-610 (BM)
(Small L)



CPF-610 (AT)
(Small L)



CPF-610 (CG)
(Small L)



CPF-610 (WD)
(Small L)



MORTISE HANDLES



CTMH-01
Mortise Handles



CTMH-02
Mortise Handles



CTMH-03
Mortise Handles



CTMH-04
Mortise Handles



CMLB-01
Mortise Lock Body



CMLB-02
Mortise Lock Body



CPI-11
Ultra Key Cylinder
Both Side Key



CPL-22
Ultra Key Cylinder
One side Knob One Side Key

DOOR CLOSER



CDC-01
Door Closer
Door weight capacity: 45kg



CDC-02
Door Closer
Door weight capacity: 65kg



CDC-03
Concealed Door Closer
Door weight capacity: 80kg

SILICONE GUNS



CSG-01
Silicone Gun (Heavy)



CSG-02
Silicone Gun (Medium)



CSG-03
Silicone Gun (Light)



CSG-04
Silicone Pouch Gun (Bottle)

GLASS CUTTER



Glass Cutter

ALUMINIUM DOOR & WINDOW ACCESSORIES



CDSH-01
Domal Sliding Handle



CDSH-02
Casement Handle



CDSH-03
Casement Handle (Small)



CWFS-01
Friction Stay

BRACKET SHELF HOLDER



CBSH-01
Single Shelf Holder



CBSH-02
Double Shelf Holder




Driver Controller
5 Watt
10 Watt



LED Strip
120 LED
240 LED



Double Sided Structural Glazing Tape



LED Mirror Sensor Switch



GLASS LIFTERS



CGL-1C
Glass Lifter With Single Cup



CGL-2C
Glass Lifter with Two Cup



CGL-3C
Glass Lifter with Three Cup




HOTEL-GUEST-DOOR-LOCK-SYSTEM

OUR PRESTIGIOUS CLIENTS



SPECIFICATION

- > Standard Mortise – (EURO/ANSI).
 - > Stainless steel panels/handles offer more sturdiness & durability.
 - > RFID card unlocking & mechanical keys override for emergency opening.
 - > Multi-management room management software.
 - > Low voltage alarm function.
 - > Unlock records – Latest 255.
- Required door
- > thickness – 38mm-65mm
 - > (If 35mm or 70mm, please inform).
- Working voltage – DC 6V, 4 Pcs AA Alkaline Batteries.
- > Working temperature -10 to 60 degrees.
 - > Warranty – Upto 3 Years.



CHL-01 (SS)



CHL-02 (G)



CHL-03 (RG)



CHL-04 (BM)



CHL-01 (SS)



CHL-01 (G)



CHL-01 (RG)



CHL-01 (BM)



CHL-02 (SS)



CHL-02 (G)



CHL-02 (RG)



CHL-02 (BM)



CHL-03 (SS)



CHL-03 (G)



CHL-03 (RG)



CHL-03 (BM)

ENERGY SAVING DEVICE





CPS-01





PVD COATED CUSTOMIZED INTERIOR PRODUCTS

*Price On Request



• Size and Design can be customised as per the requirement.


PVD COATED SS PROFILES



Size (mm)
 12X12
 19x19
 25X25
 38x38

L-PROFILE

Length Size:- 8 Feet



Size (mm)
 8
 12
 19
 25
 50

PLAIN STRIP


Length Size:- 8 Feet



Size (mm)
 8
 12
 19
 25

T-PROFILE

Length Size:- 8 Feet




Size (mm)
 6x8x6
 6x12x6
 6x19x6
 6x25x6

U-PROFILE

Length Size:- 8 Feet


WPC LOUVER PANELS



PIETRA GREY 25MM



HAZELNUT 25MM



CONCRETE 25MM



OAK 25MM



EBONY 25MM



SATVARIO 25MM



TEXTURE GREY 25MM





TEAK 15MM

SPECIFICATIONS

- Length 2900mm
- Area Per Panel 5.0 Sqf to 5.5 Sqf
- Material : WPC
- Thickness : 15 mm and 25 mm
- Width : 160 mm and 200 mm

GATE AND CLADDING PROFILE




CGAP-01

154mm x 12ft. (7kg)(DC)
154mm x 12ft. (7kg)(WD)




CGAP-02

128mm x 12ft. (7.500kg)(DC)
128mm x 12ft. (7.500kg)(WD)




CGAP-03

145mm x 12ft. (5kg)(DC)
145mm x 12ft. (5kg)(WD)



CGAP-04

152mm x 12ft. (6kg)(DC)
152mm x 12ft. (6kg)(WD)



CGAP-05

100mm x 12ft. (3.400kg)(DC)
100mm x 12ft. (3.400kg)(WD)



CGAP-06

100mm x 12ft. (3.600kg)(DC)
75mm x 75mm 12 ft (2.800kg)(DC)
100mm x 12ft. (3.600kg)(WD)
75mm x 75mm 12 ft (2.800kg)(WD)



CGAP-07

150mm x 12 ft. (5.700kg)
150mm x 12 ft. (7kg)
155mm x 12 ft. (6.200kg)




CGAP-08

140mm x 12ft. (2.000kg)(DC)
140mm x 12ft. (2.000kg)(WD)



CGAP-09

148mm x 12ft. (3.800kg)(DC)
148mm x 12ft. (3.800kg)(WD)



CGAP-10

146mm x 12ft. (4.600kg)(DC)
146mm x 12ft. (4.600kg)(WD)



CGAP-11

130mm x 12ft. (3.300kg)(DC)
130mm x 12ft. (3.300kg)(WD)



CGAP-12

150mm x 12ft. (5.500kg)(DC)
150mm x 12ft. (5.500kg)(WD)



CGAP-13

128mm x 12ft. (4.100kg)(DC)
128mm x 12ft. (4.100kg)(WD)



CGAP-14

100mm x 12ft. (4kg)(DC)
100mm x 12ft. (4kg)(WD)



CGAP-15

115mm x 12ft. (3kg)(DC)
115mm x 12ft. (3kg)(WD)



CGAP-16


115mm x 12ft. (5kg)(DC)
115mm x 12ft. (5kg)(WD)



CGAP-17

145mm x 12ft. (3.700kg)(DC)
145mm x 12ft. (3.700kg)(WD)

ARTIFICIAL GRASS



CAG-01
Size:- 25mm (Single Backing)




CAG-02
Size:- 35mm (Single Backing)




CAG-03
Size:- 40mm (Single Backing)



CAG-04
Size:- 25mm (Double Backing)



CAG-05
Size:- 35mm (Double Backing)



CAG-06
Size:- 40mm (Double Backing)

MULTI SPORTS GRASS



CAG-07
Size:-15mm (Single Bracking)



FOOTBALL/ SOCCER GRASS



CAG-08 *Price on Request
Size:- 50mm (Double Bracking)



VERTICAL GARDEN DESIGN

VERTICAL GARDEN DESIGN
40CM X 60CM NON UV (INDOOR)



CVG-01



CVG-02



CVG-03



CVG-04



CVG-05



CVG-06




CVG-07




CVG-08



CVG-09



CVG-10



CVG-11



CVG-12



CVG-13



CVG-14



CVG-15



CVG-16



CVG-17



CVG-18



CVG-19


VERTICAL GARDEN DESIGN 50CM X 50CM UV (OUTDOOR)



CVG-20



CVG-21




CVG-22



CVG-23



CVG-24



CVG-25



CVG-26




CVG-27



CVG-28



CVG-29



CVG-30

VERTICAL GARDEN DESIGN 100CM X 100CM UV (OUTDOOR)



CVG-31



CVG-32



CVG-33



CVG-34




MOSS GRASS INDOOR VERTICAL GARDEN DESIGN 100CM X 100CM UV (OUTDOOR)



CVG-35



CVG-36



CVG-37



CVG-38

KITCHEN & OTHER PROFILES



Size:-45x20 mm
CKP-01
Length Size:- 3 Mtr.



Size:- 37x12.5 mm
CKP-02
Length Size:- 3 Mtr.



Size:-37x14 mm
CKP-03
Length Size:- 3 Mtr.



Size:-30x6.5 mm
CKP-04
Length Size:- 3 Mtr.



Size:-37x13 mm
CKP-05
Length Size:- 3 Mtr.



Size:- 20x45 mm
CKP-06
Length Size:- 3 Mtr.



Size:-45x22x14 mm
CKP-07
Length Size:- 3 Mtr.



Size:-45x20x13.5 mm
CKP-08
Length Size:- 3 Mtr.



Size:-50x22.5x13 mm
CKP-09
Length Size:- 3 Mtr.



Size:- 67x22x14 mm
CKP-10
Length Size:- 3 Mtr.



Size:-45x10.5x13 mm
CKP-11
Length Size:- 3 Mtr.



Size:-26x8x10 mm
CKP-12
Length Size:- 3 Mtr.



Size:-63x10x13 mm
CKP-13
Length Size:- 3 Mtr.



Size:- 45x22x14 mm
CKP-14
Length Size:- 3 Mtr.



Size:-50x35x13 mm
CKP-15
Length Size:- 3 Mtr.



Size:-58x20 mm
CKP-16
Length Size:- 3 Mtr.



Size:-73x14 mm
CKP-17
Length Size:- 3 Mtr.



Size:- 25.5x11 mm
CKP-18
Length Size:- 3 Mtr.



Size:-22.5x11 mm
CKP-19
Length Size:- 3 Mtr.



Size:-33.5x30 mm
CKP-20
Length Size:- 3 Mtr.



Size:-25x25 mm
CKP-21
Length Size:- 3 Mtr.



Size:- 25x25 mm
CKP-22
Length Size:- 3 Mtr.



Size:-10x30 mm
CKP-23
Length Size:- 3 Mtr.



Size:-10x20 mm
CKP-24
Length Size:- 3 Mtr.



Size:-11.5x8 mm
CKP-25
Length Size:- 3 Mtr.



Size:- 12x14 mm
CKP-26
Length Size:- 3 Mtr.



Size:-10x35 mm
CKP-27
Length Size:- 3 Mtr.



Size:-21x22 mm
CKP-28
Length Size:- 3 Mtr.



Size:-45x20.5x17 mm
CKP-29
Length Size:- 3 Mtr.



Size:- 33.5x33 mm
CKP-30
Length Size:- 3 Mtr.



Size:-24x16v mm
CKP-31
Length Size:- 3 Mtr.



Size:-31x19 mm
CKP-32
Length Size:- 3 Mtr.



Size:-81x6.6 mm
CKP-33
Length Size:- 3 Mtr.



Size:- 50x50 mm
CKP-34
Length Size:- 3 Mtr.



Size:-27x11 mm
CKP-35
Length Size:- 3 Mtr.




Size:-25x21 mm
CKP-36
Length Size:- 3 Mtr.




Size:-100x44 mm
CKP-37
Length Size:- 3 Mtr.



Size:- 50.5x8 mm
CKP-38
Length Size:- 3 Mtr.



CLP-01
Length Size:- 3 Mtr.





CLP-02
Length Size:- 3 Mtr.

Switchable Film



- A Sheet that can Switch from Transparent to Opaque and Vice Versa by Passing an Electric Current.
- Maintains Privacy on Clicking Switch ON-OFF
- Easy to Operate
- Operating Voltages: 35-70 VAC
- Switching Time: 10ms
- Maximum Width: 1.8m (5.9ft) wide
- UV Blocking: 99%
- Suitable for Indoor and Outdoor Application
- Custom Laser -Etched Patterns
- Available in Various Colors and Sizes
- Less Power Consumption
- No Maintenance Required



Sample Kit





Architectural Hardware

Branches

Delhi (Head Office)

A-7B, A Block, Jhilmil Industrial Estate
Back Side of Dilshad Garden Metro Station
Delhi, 110095

Jaipur (Rajasthan)

B-74 Ved Villa Colony, Swej Farm, Ramnagar Vistar,
Near Mahatma Jyoti Rao Phoole College
Jaipur, Rajasthan 302019

Kolkata (West Bengal)

B-70/ H- 17, Radha Madhav Dutta Lane,
Dr. S.C. Banerjee Road, Beliaghata, Near Jora Mandir
Kolkata, West Bengal 700010

Agra (Uttar Pradesh)

183/9 Neerav Nikunj Phase-2
Sikandra, Near Shanti Market
Agra, Uttar Pradesh 282007

Lucknow (Uttar Pradesh)

D-135, Meera Tower, Vibhuti Khand, Gomti Nagar,
Lucknow, Uttar Pradesh 226010

Kathmandu (Nepal)

Chappal Karkhana, Annapurna Marg, Maharajgunj,
Kathmandu, Nepal - P.O. Box: 21725



www.corehardware.co.in
www.corehardware.in



sales@corehardware.in
coreglassfittings@gmail.com

Core Overseas Presence

- | | | | | | |
|--------------|----------|-----------------|----------|--------------|-------------|
| 1 Bangladesh | 5 Nepal | 9 Ghana | 13 Egypt | 17 Ethiopia | 21 Nigeria |
| 2 Uganda | 6 Sudan | 10 Kenya | 14 Congo | 18 Moscow | 22 Tanzania |
| 3 Australia | 7 Kuwait | 11 Jordan | 15 Oman | 19 Palestine | 23 Turkey |
| 4 Qatar | 8 Yemen | 12 Saudi Arabia | 16 UAE | 20 Sri Lanka | 24 Bhutan |



Scan QR Code to
Visit Website

Price are subject to change without prior notice
Product photos shown in the catalogue are only the visual
and may be differ from original. The technical presentation
and dimension in illustration and shown are for reference only.
Please Refer the original product for toughened glass cut-out.



Scan QR Code to
Catalogue

